

The time-saving bias: Judgements, cognition and perception

Gabriella Eriksson*

Ola Svenson†

Lars Eriksson‡

Abstract

Biases in people's judgments of time saved by increasing the speed of an activity have been studied mainly with hypothetical scenarios (Svenson, 2008). The present study asked whether the classic time-saving bias persists as a perceptual bias when we control the speed of an activity and assess the perceived time elapsed at different speeds. Specifically, we investigated the time-saving bias in a driving simulator. Each participant was asked to first drive a distance at a given speed and then drive the same distance again at the speed she or he judged necessary to gain exactly three minutes in travel time compared to the first trip. We found that the time-saving bias applies to active driving and that it affects the choice of driving speed. The drivers' time-saving judgements show that the perception of the time elapsed while driving does not eliminate the time-saving bias.

Keywords: time-saving bias, driving task, time perception, speed choice, time gain, mean speed.

1 Introduction

Svenson (2008) and Peer (2010a,b) studied the time-saving bias in driving or production: the time saved by speed increases from a relatively high speed is overestimated relative to the time saved by speed increases from low original speeds. Most studies on driving speed have been paper and pen questionnaires and judgments made when the respondent was not driving, with the exception of a study by Peer and Solomon (2012). Peer and Solomon (2012) investigated professional taxi drivers and non-professional drivers about a journey they were currently making in a slow but not congested city traffic environment. Both groups gave biased judgments of journey time, average speeds and biased time-savings, consistent with previous questionnaire studies (Peer, 2010a,b; Svenson, 1970; Svenson & Salo, 2010; Svenson et al. 2011). However, overestimations of time savings following increased driving speed among the taxi drivers were smaller than those made by the non-professionals.

The study of Peer and Solomon (2012) was a field

study and therefore they did not have full control in their context and they had no opportunity to ask their drivers to, for example, drive to save 10 minutes and to perceive and judge how well this target was reached. Therefore, it is an open question whether the time saving bias is valid for the situation in which drivers are actively engaged in all components involved in driving in a controlled context, including cognition, perception and motor skills.

Driving is a complex task that involves perceptual and cognitive processes and perceptual-motor skills. Drivers need to perceive distances, speed and time, and to understand their relation to one another and act accordingly (Groeger, 2000). Hence, driving behaviour relies to a large extent on perceptual cues and how they are perceived and interpreted. Earlier studies have shown that perceptions of speed, distance and time are biased in many situations. In experiments where time remains constant and only speed and distance vary, it has been found that the longer distance travelled at a greater speed is perceived to have a longer duration than the same objective travel time spent on a slower and shorter trip (Cohen, Ono & Skelley, 1966). Speed perception is often more correct than distance and duration perception (Cohen, Ono & Skelley, 1966), but drivers seem to be biased towards overestimating slow speeds (lower than 32 kph) and underestimating higher speeds (above 32 kph) (Cohen & Cooper, 1962). Time perception has been found to be susceptible to the amount of information presented. The more stimuli that are presented during a time interval, the more time people believe, in retrospect, to have passed. This phenomenon was named the filled-duration illusion (Thomas & Brown, 1974).

In driving, perceived past travel time and predicted remaining travel time are important determinants of

The authors want to thank Jonas Andersson Hultgren, Anne Bolling and Björn Blissing for technical support and advice. We also want to thank Gunilla Sörensen for assistance in the data collection and insightful advice.

Copyright: © 2013. The authors license this article under the terms of the Creative Commons Attribution 3.0 License.

*Risk Analysis, Social and Decision Research Unit, Department of Psychology, Stockholm University, Sweden and Swedish National Road and Transport Research Institute, Linköping, Sweden. Email: gabriella.eriksson@vti.se.

†Risk Analysis, Social and Decision Research Unit, Department of Psychology, Stockholm University, Sweden and Decision Research, Eugene, Oregon, USA.

‡Swedish National Road and Transport Research Institute, Linköping, Sweden and Department of Psychology, Karlstad University, Sweden.

drivers' preferred speed during the remainder of a trip. If the remaining time seems too short, drivers go faster (Gaby, Plummer & Grigg, 1997; McKenna, 2005). Thus, driver's judgments of travel time and mean speed over a journey are important factors in the choice of speed. For instance, imagine a driver who perceives the mean speed of a trip to be faster than it actually is. Towards the end of the trip, the driver would experience time pressure when realising that he or she is running late. The driver would then be tempted to speed up to ensure that the destination is reached within time, but the driver may mis-estimate the amount of time that can be saved by increasing speed (Svenson, 2008). Hence, it is important to study the discrepancy between drivers' judgments of the effect of an increase in speed on travel time and the actual effect.

Actual time savings can be calculated by the following formula:

$$\text{Time gain} = cD(1/v_1 - 1/v_2) \quad (1)$$

where c is a constant enabling conversion of the distance measure to other units, D is the distance travelled, v_1 is the original speed and v_2 the higher speed. Changes of speed at lower speeds have greater impact on time savings than the same changes from higher speeds. Svenson (1970) asked participants to make intuitive judgments of the difference in travel time between two speeds over the same distance. The study showed that with a short distance (13 km), the time saved was underestimated when the speed increased from a low speed whereas the time saving was overestimated when the original speed was high. Svenson (1970) found that the following formula described time saving judgements:

$$\text{Time gain} = cD^e(v_1 - v_2)/v_2 \quad (2)$$

where c and e are constants describing how perceived/cognitive distance is a function of objective distance D ; v_1 is the original speed and v_2 the higher speed. The time-saving bias of equation 2 was found in another study by Svenson (1973) in which participants were asked to estimate the impact of a speed increase of a physical object and the underestimation of the time saving at a lower speed was replicated. This phenomenon was later termed the time-saving bias (Svenson, 2008) and support for the existence of such a bias has been found in a number of studies (Fuller et al., 2009; Peer, 2010a,b, 2011; Peer & Gamliel, 2012; Peer & Solomon, 2012; Svenson, 1973, 2008, 2009). A relevant question is whether these types of studies are relevant for real life driving where actual distances, time and average speed are not always known, but based on the driver's own perceptions.

In the present study, participants acted on perceptual cues or information in a well-controlled driving context. The drivers were neither given time nor distance, and they received only information about the actual instantaneous

speed through the speedometer. The time-saving bias predicts that, when increasing speed from a low speed, time saving is underestimated whereas an increase from a relatively high speed is overestimated. The aim of the present study was to test this prediction in a driving simulator task where participants are asked to gain a certain amount of time (three minutes) by increasing speed from a low speed (30 kph) and a high speed (100 kph). Participants were expected to underestimate the time saved by increasing the speed from the initial low speed of 30 kph and drive faster than needed and therefore save more than the required three minutes. At an initial high speed of 100 kph, participants were expected to overestimate the effect of an increased speed and therefore save less than the required three minutes. We also included a questionnaire with problems similar to the ones used in the simulator task, in order to make direct comparisons between the average speed estimates given by the questionnaire responses and the simulator drives.

2 Method

2.1 Participants

There were 12 participants in the study, 6 men and 6 women. The participants were recruited from the participant pool of the Swedish National Road and Transport Research Institute in Linköping.¹ In each condition, there were two men and two women in each of three age groups; 25–34 ($M = 27.3$ years, $SD=1.0$), 35–44 ($M = 39.5$ years, $SD=1.7$) and 45–54 ($M = 52.0$ years, $SD=3$). All participants held a valid driver's license for at least five years and the majority had an average annual mileage between 1000 and 1500 kilometres per year. None of the participants had an average mileage below 1000 kilometres. It should be mentioned that one of the male participants was replaced by another male in the same age group since he had driven as fast as possible in both test conditions, indicating a misunderstanding of the task.² Each participant was paid 500 SEK (\approx \$70) for participation in the study.

2.2 Apparatus

The study was conducted in an interactive fixed-base driving simulator at the Swedish National Road and Transport Research Institute in Linköping, Sweden. The simulator has a simple motion system that permits lateral and longitudinal tilting. Its visual system consists of three

¹The participants were mainly recruited by internet and newspaper advertising.

²If the participant would have been included in the analysis, the time-saving bias would have been strengthened when increasing from 30 kph and weakened when increasing from 100 kph.

40" displays that give a field of view of approximately 180 degrees. The interior corresponds to the interior of a Volvo passenger car with an automatic gearbox and all the conventional equipment such as a steering wheel, a dashboard and pedals. The participant could determine the car's road position and speed by operating the steering wheel and gas and brake pedals.

2.3 Scenario

The simulated road environment was a rural road with two lanes. Light traffic was generated in the opposite direction, but there were no other cars visible in the direction the participant was driving. The driving distances were 8.5 and 28.3 kilometres. The same road was driven in both distances, with the shorter distance covering the first 8.5 kilometres of the longer distance.

2.4 Experimental design

A within-participant design was employed. Each participant drove each of the two distances twice. The distance of 8.5 km was first driven at a speed of 30 kph and then a second time at a speed chosen by the participant in order to gain exactly three minutes. The distance of 28.3 km was first driven at 100 kph and then at the speed chosen by the participant in order to gain three minutes. The distances were chosen in order to keep the time driven constant between conditions. Half of the participants drove the shorter distance at the lower speed first, half started with the longer distance driven at a higher speed first. The two conditions (low speed first and high speed first) were balanced by sex and age group.

2.5 Procedure

The participant was first asked to fill in a form with background information, such as age, years with driver's license etc. Then, the participant was given written instructions for the experiment and was told that he or she first would get a practice run in order to adapt to driving in the simulator. The practice run was set to last for 15 minutes regardless of the chosen speed, and the simulated road was the same as in the experiment. Then, the participant was told to, after the practice run, first drive a distance at a specified speed and then drive the same distance again, only this time to gain exactly three minutes in travel time by driving at the speed that seemed necessary to gain the required time. This was followed by a questionnaire with questions regarding the participant's perception of average speed during the drive and the time gained when choosing the driving speed. The procedure was thereafter repeated but for a different speed (and distance). Finally,

when the participants had driven both distances, they received yet another set of questionnaires. One questionnaire addressed the usability of the speedometer in the car simulator (If the meter was easy to use, if the information displayed was clear etc.). A second questionnaire concerned the quality of the simulator (how much the auditory and visual presentation resembled a real car drive etc.).

This was followed by a questionnaire. The procedure was thereafter repeated but for a different speed (and distance). In the questionnaires following each simulator drive, the participant was asked questions regarding perceptions of average speed and the time gained when choosing the driving speed. Finally, the participant received yet another set of questionnaires. One questionnaire addressed the usability of the speedometer in the car simulator. A second questionnaire concerned the quality of the simulator.

A third questionnaire investigated time savings from a cognitive perspective and the participant was asked to solve problems corresponding to the driving problem. That is, the general task was to estimate the mean speed needed in order to gain three minutes on a distance driven at a certain initial speed. The distances were either 20 or 40 kilometres and the initial speeds were 50, 60, 70, 80, 90, 100, 110 and 120 kph. In addition, the participant was given the same distances (8.5 km and 28.3 km) and initial speeds (30 kph and 100 kph) as in the driving simulator and was asked to judge the mean speed needed to gain three minutes. Thus, these last two problem tasks corresponded exactly to the driving tasks in the simulator.

3 Results

3.1 The driving simulator task

Mean speeds of the first and second drives for each of the two distances were derived from simulator data and used to calculate time gains for each participant in each distance. (See Appendix for individual measures.) Table 1 shows that, when increasing speed from 30 kph, participants gained an average of 6.14 min. This time gain was significantly higher than the target time saving of three minutes, $t_{11}=5.853$, $p = 0.0001$, one-tailed. Correspondingly, the average time saved from an increase from 100 kph was 2.21 minutes and significantly lower than three minutes, $t_{11} = -3.228$, $p=0.0040$, one-tailed.³ In summary, participants drove faster than necessary and gained more time than asked to when increasing speed from the

³Data were also analysed using Wilcoxon signed rank tests to verify the parametric test results. The time saved from the low speed was significantly higher than three minutes, $Z = 3.059$, $p = .001$, one-tailed test. The time saved from the higher speed was significantly lower than three minutes, $Z = 2.589$, $p = .005$, one-tailed test.

Table 1: Actual and judged mean time savings in minutes compared with target time savings.

Original speed (kph)	Actual	Judged	Target
30	6.14 (1.86)	3.56*** (.90)	3
100	2.21 (0.85)	3.25* (.72)	3

Note. All entries are expressed in minutes. Standard deviations in parentheses. Significant deviation of mean (judged) from actual time savings: * $p < .05$, ** $p < .01$ and *** $p < .001$.

Table 2: Participants' mean estimates of their mean speed and actual mean speed.

Original speed (kph)	Judged	Actual	Target
30	46.28 ^{n.s.} (2.23)	45.51 (7.98)	36.43
100	114.74 ^{n.s.} (6.97)	113.52 (6.74)	121.46

Note. All entries are expressed in kph. Standard deviations in parentheses. Significant deviation of mean (judged) from actual mean speeds: n.s $p > .05$ * $p < .05$, ** $p < .01$ and *** $p < .001$.

low speed. They did not drive fast enough and gained less time than targeted when increasing speed from the higher speed. These findings corroborate that the time-saving bias applies not only to cognitive contexts with numerical information but also to an active driving context when the information is dynamically perceptual.

Table 1 also shows how participants judged their own time gain in each scenario in relation to their actual time gain. On average, participants judged their own time savings to be close to the target of three minutes. From 30 kph, they judged their time gain to be 3.56 min which is significantly lower ($t_{11} = -5.232, p = 0.0003$, two-tailed) than their actual time gain of 6.14 min. They judged their time gain from 100 kph to 3.25 min which is significantly higher ($t_{11} = 2.701, p = 0.0206$, two-tailed) than the actual time gain of 2.21 minutes.

Participants' judgments of average speeds and actual mean speeds are shown in Table 2. The average initial speeds were 28.95 kph and 98.68 kph for the target speeds of 30 and 100 kph, respectively. At both initial speeds there was a tendency for participants to drive somewhat below the target speed. The estimates of the participants' average judged mean speed for the 30 kph distance was 46.28 kph and their actual mean speed was 45.51 kph. In order to gain three minutes on the distance, one needs to keep an average speed of 36.43 kph, which is signifi-

cantly lower than 45.51 kph ($t_{11} = 3.942, p = 0.0012$, one-tailed). For the 100 kph distance, the participants' average judged mean speed was 114.74 kph and their actual average speed was 113.52 kph. The target average speed was 121.46 kph and significantly higher than 113.52 kph ($t_{11} = -4.084, p = 0.0009$, one-tailed).

3.2 The corresponding questionnaire task

Table 3 shows the participants' estimates of the average speed needed to gain three minutes on a 20 and 40 kilometre long distance. As expected, the participants overestimated the average speed needed to gain the time at the lower speeds and underestimated the required average speed at higher speeds.

3.3 Comparison between simulator and questionnaire tasks

In Table 4, the average driving speeds in the simulator task are compared to estimated average driving speeds in the questionnaire. Both the results of the questionnaire responses and the simulator drives show that the required speed was overestimated when the initial speed was low and underestimated when following an already high speed. There was a significant correlation between the speed driven in the simulator and the speed indicated in the questionnaire when increasing from the lower speed $r(9) = 0.743, p = 0.0089$,⁴ and from the higher speed $r(10) = 0.613, p = 0.0340$. Thus, the cognitive error found in previous studies was not only found again in the present study but was also shown to apply to a controlled perceptual-motor driving context. The error persists in an active driving context.

4 Discussion and conclusions

Time gain is one of the motivators for drivers to speed up and in turn, speeding increases risk for accidents (e.g. Aarts & van Schagen, 2006). But do drivers understand the true relationship between speed and time gains? The present study confirms previous findings of a time-saving bias in judgments of time saved by increases in speed. It also indicates that this bias is not limited to primarily cognitive tasks, because it perseveres when the problem information is based on perceptual cues or information in active driving.

The time-saving bias found in the active driving task cannot be accounted for by a failure of appreciating the

⁴One participant was not included in the analysis of the lower speed condition (increasing from 30 kph) after answering that the required speed was 145 kph in the questionnaire. This judgement was more than three standard deviations above the average judged speed.

Table 3: Average judged mean speeds needed to gain 3 minutes on a 20 and 40 kilometres long distance compared with correct mean speeds.

Original speed	Distance (kilometres)			
	8.5	20	28.3	40
30	40.77* (36.43)	-	-	.
40	-	-	-	.
50	-	63.58* (57.14)	-	69.18 (53.33)
60	-	71.58 (70.59)	-	71.45* (64.86)
70	-	81.50 (84.85)	-	81.25* (76.71)
80	-	93.83* (100.00)	-	90.58 (88.89)
90	-	105.42** (116.13)	-	101.17 (101.41)
100	-	121.33 (133.33)	113.63 (121.46)	112.00* (114.29)
110	-	126.92*** (151.72)	-	119.17*** (127.54)
120	-	149.08 (171.43)	-	132.58** (141.18)

Note: Correct mean speeds in parentheses. Bold digits represent significant underestimations and bold italics significant overestimations of mean speed needed to gain 3 minutes at distance 20 and 40 kilometres. Significant deviation of mean from correct speed * $p < .05$, ** $p < .01$ and *** $p < .001$.

average speed since participants estimate mean speed accurately. Nor can it be explained by perception of the road distance. Participants were informed that the distance driven at a given speed was exactly the same as the following distance driven at the speed they targeted to gain the time saving of three minutes. It may be argued that a failure in appreciating the distance travelled could lead to a bias in perceived time of each distance. However, the time taken to complete the first distance would also be misperceived since the distance was constant.

Table 4: Participants' mean estimates of target mean speed and the correct target speed.

	8.5 km at original speed 30 km/h	28.3 km at original speed 100km/h
Cognitive judgment	49.46	113.63
Perceptual judgment	45.51	113.52
Correct speed	36.43	121.46

The present study also shows that questionnaires can be used in studies of driver-related judgments of this kind and validates questionnaires as a valid method. Simulator studies and real life driving experiments can be costly and simpler tasks performed when not driving provide the means for studying biases thoroughly before testing its validity in real settings. The relevance and validity of simulator studies have been confirmed in numerous studies (e.g. Godley, Triggs & Fildes, 2002; Wang et al., 2010).

In the choice of speed, positive and negative consequences of a speed are balanced by the driver and the decision to speed up will be made if the positive outweigh the negative consequences of speeding (Lawton, Parker, Stradling & Manstead, 1997). Hence, it is important that drivers can make accurate judgments of the consequences of an increased speed, such as how much time that can be gained. According to the time-saving bias, a driver already driving at a high speed overestimates the time that can be saved by an increase in speed. How many of these drivers would make the same choice of speed if they had accurate information of the actual time gain of the speed increase? Future studies need to explore how these types of judgments can be de-biased, for example, via adequate and focused information technology in the car.

References

Arts, L., & van Schagen, I. (2006). Driving speed and the risk of road crashes: A review. *Accident Analysis and Prevention*, 38, 215–224.

Cohen, J., & Cooper, P. (1962). New phenomena in apparent duration, distance, and speed. *Nature*, 196, 1233–1234.

Cohen, J., Ono, A., & Skelley, G.B. (1966). Interrelations between judgments, made by drivers, of the duration, distance and speed of their journeys. *Operational Research Quarterly*, 17, 279–289.

Fuller, R., Gormley, M., Stradling, S., Broughton, P., Kinnear, N., O'Dolan, C., & Hannigan, B. (2009). Impact of speed change on estimated journey time: Failure of

drivers to appreciate relevance of initial speed. *Accident Analysis and Prevention*, 41, 10-14.

Godley, S. T., Triggs, T. J., & Fildes, B. N. (2002). Driving simulator validation for speed research. *Accident Analysis and Prevention*, 34, 589-600.

Gabany, S. G., Plummer P., & Grigg, P. (1997). Why drivers speed: The speeding perception inventory. *Journal of Safety Research*, 27, 29-36.

Groeger, J. A. (2000). *Understanding driving*. Hove: Psychology Press.

Lawton, R., Parker, D., Stradling, S. G., & Manstead, A. S. R. (1997). Predicting road traffic accidents: The role of social deviance and violations. *British Journal of Psychology*, 88, 249-262.

McKenna, F. P. (2005). Why do drivers break the speed limit? In *Behavioral Research in Road Safety 2005: Fifteenth Seminar* (pp. 94-103). London: Department for Transport.

Peer, E. (2010a). Speeding and the time-saving bias: How drivers' estimations of time saved when increasing speed affects their choice of speed. *Accident Analysis and Prevention*, 42, 1978-1982.

Peer, E. (2010b). Exploring the time-saving bias: How drivers misestimate time saved when increasing speed. *Judgment and Decision Making*, 5, 477-488.

Peer, E. (2011). The time-saving bias, speed choices and driving behavior. *Transportation Research Part F: Traffic Psychology and Behaviour*, 14, 543-554.

Peer, E., & Gamliel, E. (2012). Estimating time savings: The use of the proportion and percentage heuristics and the role of need for cognition. *Acta Psychologica*, 141, 352-359.

Peer, E., & Solomon, L. (2012). Professionally biased: Evidence for misestimations of driving speed, journey time and time-savings among taxi drivers. *Judgment and Decision Making*, 7, 165-172.

Svenson, O. (1970). A functional measurement approach to intuitive estimation as exemplified by estimated time savings. *Journal of Experimental Psychology*, 86, 204-210.

Svenson, O. (1973). Change of mean speed in order to obtain a prescribed increase or decrease in travel time. *Ergonomics*, 16, 777-782.

Svenson, O. (2008). Decisions among time saving options: When intuition is strong and wrong. *Acta Psychologica*, 127, 501-509.

Svenson, O. (2009). Driving speed changes and subjective estimates of time savings, accident risks and braking. *Applied Cognitive Psychology*, 23, 543-560.

Svenson, O., Eriksson, G., Salo, I., & Peters, E. (2011). Judgments of mean speed and predictions of route choice. *Transportation Research Part F: Traffic Psychology and Behaviour*, 14, 504-511.

Svenson, O., & Salo, I. (2010). Effects of speed limit variation on judged mean speed of a trip. *Accident Analysis and Prevention*, 42, 704-708.

Thomas, E.A.C., & Brown, L. (1974). Time perception and the filled duration illusion. *Perception & Psychophysics*, 16, 449-458.

Wang, Y., Mehler, B., Reimer, B., Lammers, V., D'Ambrosio, L. A., & Coughlin, J. F. (2010). The validity of driving simulation for assessing differences between in-vehicle informational interfaces: A comparison with field testing. *Ergonomics*, 53, 404-420.

Appendix: Individual mean speed and time saving measures

Table A1. Actual mean speed for the first and second drive when the given speed was 30 kph and the time saved.

Average speed (1st drive)	Average speed (2nd drive)	Actual time saved (min)	Judged time saved (min)
28.08	34.96	3.57	4
29.01	48.90	7.15	4.33
31.59	47.08	5.31	4
29.16	40.52	4.91	2
28.47	42.78	5.99	2.83
28.23	64.52	10.16	4.5
30.16	46.73	5.99	4.25
28.40	42.43	5.93	2
28.62	47.47	7.08	3.42
28.52	38.38	4.59	4
28.25	53.75	8.56	4.33
28.87	38.61	4.46	3

Table A2. Actual mean speed for the first and second drive when the given speed was 100 kph and the time saved.

Average speed (1st drive)	Average speed (2nd drive)	Actual time saved (min)	Judged time saved (min)
98.90	108.15	1.47	3
96.31	108.26	1.95	2.83
99.28	112.36	1.99	3.5
99.57	123.76	3.34	3
99.39	124.11	3.41	3
97.01	124.14	3.83	2.75
97.30	106.71	1.54	2.5
99.42	113.68	2.14	2.68
99.32	108.86	1.50	4.25
99.37	107.07	1.23	5
99.09	112.83	2.09	3.5
99.21	112.27	1.99	3